圧接式鋼製グレーチング

みぞぶた(側溝用)

MK GRATE to 750 50


主部材:|バー


型式記号の説明

みぞぶた 主部材(I-50×7×4) みぞ幅を表示(300mm)

NM 50N-3

____ ノンスリップを表示





T-25	

	溝幅			グレー	チング		受	枠	総質量			建	値		
	(1)	型式記号	寸	法	mm	質量	寸 法	質量	kg/枚		標準価格	3	北	海道・沖	縄
	mm		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚	Ng/ IX	本体	受枠	合計	本体	受枠	合計
	200	NM38N-2	300	995	I-38	15.1	L44x60x6	9.8	24.9	11,400	6,600	18,000	12,000	7,000	19,000
セ	250	NM44N-2.5	350	995	1-44	19.8	L50x60x6	10.4	30.2	14,100	7,000	21,100	14,900	7,400	22,300
ا ا ا	300	NM50N-3	400	995	I-50	27.8	L56x60x6	11.2	39.0	20,000	7,400	27,400	21,000	7,800	28,800
-フ50・ノンスリップタイプ	350	NM55N-3.5	450	995	I-55	33.6	L61x60x6	11.6	45.2	24,400	7,600	32,000	25,700	8,000	33,700
ンス	400	NM65N-4	500	995	I-65	43.3	L71x60x6	12.5	55.8	31,800	8,000	39,800	33,400	8,400	41,800
リップ	450	NM75N-4.5	550	995	I-75	54.1	L81x60x6	13.4	67.5	39,800	8,200	48,000	41,800	8,600	50,400
タイ	500	NM90N-5	600	995	1-90	69.0	PL96x60x6	14.8	83.8	56,700	9,600	66,300	59,000	10,000	69,000
゚゚゚゚	550	NM90N-5.5	650	995	1-90	74.4	PL96x60x6	14.8	89.2	66,200	9,600	75,800	69,600	10,000	79,600
	600	NM100N-6	700	995	I-100	87.9	PL106x60x6	15.7	103.6	78,900	9,800	88,700	82,900	10,200	93,100

●1件につき5万円以下のご注文については小口運賃として別途2,000円を申し受けます。 ●本価格表は消費税を含んでおりません。

T-20

NM

	溝幅			グレー	チング		受	枠	総質量			建	値			
	(l)	型式記号	寸	法	mm	質量	寸 法	質量	kg/枚		標準価格	3	北	北海道・沖縄		
	mm		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚	Ng/ IA	本体	受枠	合計	本体	受枠	合計	
	200	NM32N-2	300	995	I-32	13.0	L38x60x6	9.3	22.3	10,400	5,800	16,200	10,900	6,100	17,000	
セ	250	NM38N-2.5	350	995	I-38	17.3	L44x60x6	9.8	27.1	13,000	6,600	19,600	13,700	7,000	20,700	
1	300	NM50N-3	400	995	I-50	27.8	L56x60x6	11.2	39.0	20,000	7,400	27,400	21,000	7,800	28,800	
フ 50	350	NM50N-3.5	450	995	I-50	30.9	L56x60x6	11.2	42.1	21,800	7,400	29,200	22,900	7,800	30,700	
7	400	NM55N-4	500	995	I-55	37.0	L61x60x6	11.6	48.6	26,600	7,600	34,200	28,000	8,000	36,000	
2	400	NM60N-4	500	995	I-60	40.7	L66x60x6	12.0	52.7	28,200	7,700	35,900	29,600	8,200	37,800	
スリ	450	NM65N-4.5	550	995	I-65	47.3	L71x60x6	12.5	59.8	32,600	8,000	40,600	34,300	8,400	42,700	
<u>"</u>	500	NM75N-5	600	995	I-75	58.7	L81x60x6	13.4	72.1	41,000	8,200	49,200	43,100	8,600	51,700	
ップタ	550	NM75N-5.5	650	995	I-75	63.3	L81x60x6	13.4	76.7	43,500	8,200	51,700	45,700	8,600	54,300	
1		NM90N-5.5	650	995	1-90	74.4	PL96x60x6	14.8	89.2	66,200	9,600	75,800	69,600	10,000	79,600	
゚゚゚ゔ゚	600	NM90N-6	700	995	I-90	79.7	PL96x60x6	14.8	94.5	67,900	9,600	77,500	71,300	10,000	81,300	
	700	NM100N-7	800	995	I-100	99.9	PL106x60x6	15.7	115.6	79,600	9,700	89,300	83,400	10,200	93,600	

T-14



	溝幅			グレー	チング		受	枠	//\/ FE =			建	値		
	(1)	型式記号	寸			質量	寸 法	質量	総質量 kg/枚	標準価格			北	海道・沖	縄
	mm		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚	Ng/ IX	本体	受枠	合計	本体	受枠	合計
	200	NM25N-2	300	995	1-25	10.4	L31x60x6	8.2	18.6	9,200	5,600	14,800	9,700	5,800	15,500
セー	250	NM32N-2.5	350	995	1-32	14.9	L38x60x6	9.3	24.2	10,900	5,800	16,700	11,500	6,100	17,600
ナ 50	300	NM38N-3	400	995	I-38	19.5	L44x60x6	9.8	29.3	13,800	6,600	20,400	14,600	7,000	21,600
50	350	NM44N-3.5	450	995	1-44	24.7	L50x60x6	10.4	35.1	17,100	6,900	24,000	18,000	7,200	25,200
	400	NM50N-4	500	995	I-50	34.1	L56x60x6	11.2	45.3	23,700	7,400	31,100	24,900	7,800	32,700
スリ	450	NM55N-4.5	550	995	I-55	40.5	L61x60x6	11.6	52.1	29,100	7,600	36,700	30,600	8,000	38,600
ップ	500	NM60N-5	600	995	I-60	48.2	L66x60x6	12.0	60.2	33,600	7,800	41,400	35,300	8,200	43,500
タ	550	NM65N-5.5	650	995	I-65	55.3	L71x60x6	12.5	67.8	38,100	8,000	46,100	40,100	8,400	48,500
イブ	600	NM75N-6	700	995	I-75	67.8	L81x60x6	13.4	81.2	46,900	8,200	55,100	49,300	8,600	57,900
	700	NM90N-7	800	995	1-90	90.5	PL96x60x6	14.8	105.3	75,300	9,600	84,900	78,800	10,000	88,800

T-6



	淖	野陽			フレー	, , ,		- Z	1十	総質量			烓	川		
	(.	l)	型式記号	寸	法	mm	質量	寸 法	質量	kg/枚		標準価格	ř	北流	毎道・沖	縄
	m	nm		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚	Kg/1A	本体	受枠	合計	本体	受枠	合計
	2	200	NM25N-2	300	995	I-25	10.4	L31x60x6	8.2	18.6	9,200	5,600	14,800	9,700	5,800	15,500
セー	2 2	50	NM32N-2.5	350	995	I-32	14.9	L38x60x6	9.3	24.2	10,900	5,800	16,700	11,500	6,000	17,500
=	7 3	00	NM38N-3	400	995	I-38	19.5	L44x60x6	9.8	29.3	13,800	6,600	20,400	14,500	7,000	21,500
ラ 50 シ	3	50	NM44N-3.5	450	995	1-44	24.7	L50x60x6	10.4	35.1	17,100	7,000	24,100	18,000	7,400	25,400
2	4	00	NM44N-4	500	995	1-44	27.2	L50x60x6	10.4	37.6	18,600	7,000	25,600	19,600	7,400	27,000
ンスリッフタイプ	4	50	NM50N-4.5	550	995	1-50	37.3	L56x60x6	11.2	48.5	26,000	7,400	33,400	27,300	7,800	35,100
-	^γ 5	00	NM50N-5	600	995	I-50	40.4	L56x60x6	11.2	51.6	28,200	7,400	35,600	29,700	7,800	37,500
3	5	50	NM50N-5.5	650	995	I-50	43.6	L56x60x6	11.2	54.8	30,200	7,400	37,600	31,800	7,800	39,600
	6	00	NM55N-6	700	995	I-55	50.7	L61x60x6	11.6	62.3	35,000	7,600	42,600	36,800	8,000	44,800
	7	00	NM60N-7	800	995	I-60	63.2	L66x60x6	12.0	75.2	44,400	7,800	52,200	46,600	8,200	54,800

●1件につき5万円以下のご注文については小口運賃として別途2,000円を申し受けます。 ●本価格表は消費税を含んでおりません。

圧接式鋼製グレーチング


T-2

014

みぞぶた(側溝用)


	溝幅	## N===		グレー				枠	総重量			建	値		
	(l) mm	型式記号	寸 = +(-)		mm	重量	寸 法	重量	kg/枚		標準価格			海道・沖	
	111111		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚		本体	受枠	合計	本体	受枠	合計
	200	NM25N-2	300	995	1-25	10.4	L31x60x6	8.2	18.6	9,200	5,600	14,800	9,700	5,800	15,500
	250	NM25N-2.5	350	995	I-25	11.9	L31x60x6	8.2	20.1	10,100	5,600	15,700	10,700	5,800	16,500
セー	300	NM25N-3	400	995	I-25	13.5	L31x60x6	8.2	21.7	10,900	5,600	16,500	11,500	5,800	17,300
フ 50	350	NM25N-3.5	450	995	I-25	15.0	L31x60x6	8.2	23.2	11,600	5,600	17,200	12,200	5,800	18,000
ノン	400	NM32N-4	500	995	I-32	20.6	L38x60x6	9.3	29.9	14,500	5,800	20,300	15,300	6,000	21,300
スリップタ	450	NM32N-4.5	550	995	I-32	22.5	L38x60x6	9.3	31.8	15,200	5,800	21,000	16,000	6,000	22,000
プタ	500	NM32N-5	600	995	I-32	24.5	L38x60x6	9.3	33.8	16,200	5,800	22,000	17,100	6,000	23,100
イプ	550	NM32N-5.5	650	995	1-32	26.4	L38x60x6	9.3	35.7	17,300	5,800	23,100	18,200	6,000	24,200
	600	NM38N-6	700	995	I-38	32.6	L44x60x6	9.8	42.4	22,200	6,600	28,800	23,400	7,000	30,400
	700	NM38N-7	800	995	I-38	37.1	L44x60x6	9.8	46.9	25,200	6,600	31,800	26,400	7,000	33,400

●細目用把手HN-2 (亜鉛メッキ)




価 格	1,000円/本

●Nクリップ(連結クリップ)



		価 格
NC-1	主部材厚み(3mm用)	
NC-2	主部材厚み(4.5mm·5mm用)	500円/個
NC-3	主部材厚み(7mm用)	

●Lシート



		価 格
GL-1	19×50×2×998	1,600円/2枚

●1件につき5万円以下のご注文については小口運賃として別途2,000円を申し受けます。 ●本価格表は消費税を含んでおりません。

普通目:30P(35.3P) 表面:ノンスリップ 材質:SS400

主部材:バー

みぞぶた(横断溝用)


MK GRATE te 250


型式記号の説明

みぞぶた 主部材(I-50×7×4) -みぞ幅を表示(300mm)

NM 50N-3

ノンスリップを表示





T-25



	溝幅			グレーチング			受	枠	総質量			建	値		
	(l)	型式記号	寸	法	mm	質量	寸 法	質量	kg/枚		標準価格	ì	北	海道・沖	縄
	mm		長さ(a)	幅(b)	主部材	kg/枚	mm	kg/枚	Ng/1X	本体	受枠	合計	本体	受枠	合計
	200	NM44N-2	300	995	1-44	17.3	L50x60x6	10.4	27.7	12,700	7,000	19,700	13,400	7,400	20,800
セ	250	NM50N-2.5	350	995	I-50	24.7	L56x60x6	11.2	35.9	18,100	7,400	25,500	19,100	7,800	26,900
ブ ラ 50	300	NM55N-3	400	995	I-55	30.3	L61x60x6	11.6	41.9	22,500	7,600	30,100	23,700	8,000	31,700
50	350	NM60N-3.5	450	995	I-60	37.0	L66x60x6	12.0	49.0	27,200	7,800	35,000	28,600	8,200	36,800
ノン	400	NM65N-4	500	995	I-65	43.3	L71x60x6	12.5	55.8	31,800	8,000	39,800	33,400	8,400	41,800
スリップタイプ	450	NM75N-4.5	550	995	I-75	54.1	L81x60x6	13.4	67.5	39,800	8,200	48,000	41,800	8,600	50,400
ププ	500	NM75N-5	600	995	I-75	58.7	L81x60x6	13.4	72.1	41,000	8,200	49,200	43,100	8,600	51,700
メイプ	550	NM90N-5.5	650	995	1-90	74.4	PL96x60x6	14.8	89.2	66,200	9,600	75,800	69,600	10,000	79,600
	600	NM90N-6	700	995	I-90	79.7	PL96x60x6	14.8	94.5	67,900	9,600	77,500	71,300	10,000	81,300
	700	NM100N-7	800	995	I-100	99.9	PL106x60x6	15.7	115.6	79,600	9,800	89,400	83,400	10,200	93,600